

## Supplementary information to:

### Case report:

# COMBINED NON-INVASIVE NEUROMODULATION USING TRANSCRANIAL DIRECT CURRENT STIMULATION, MOTOR IMAGERY AND ACTION OBSERVATION FOR MOTOR, COGNITIVE AND FUNCTIONAL RECOVERY IN CORTICO-BASAL DEGENERATION: A SINGLE CASE STUDY

Juan Pablo Romero<sup>1,2,3,4</sup> , Alexis Martínez-Benito<sup>1,5</sup> , David de Noreña<sup>3</sup> ,  
Alfonso Hurtado-Martínez<sup>1,2</sup> , Francisco José Sánchez-Cuesta<sup>1,2</sup> ,  
Yeray González-Zamorano<sup>1,4,6,7,\*</sup> , Marcos Moreno-Verdú<sup>1,8</sup> 

- <sup>1</sup> Brain Injury and Movement Disorders Neurorehabilitation Group (GINDAT), Francisco de Vitoria University, Pozuelo de Alarcón, 28223, Spain.
- <sup>2</sup> Facultad de Ciencias Experimentales, Universidad Francisco de Vitoria, Pozuelo de Alarcón, 28223, Spain
- <sup>3</sup> Brain Damage Unit, Beata María Ana Hospital, Madrid, 28007, Spain
- <sup>4</sup> Cognitive Neuroscience, Pain and Rehabilitation Research Group (NECODOR), Faculty of Health Sciences, Rey Juan Carlos University, Madrid, Spain
- <sup>5</sup> Departamento de Fisioterapia, Centro Superior de Estudios Universitarios La Salle, Universidad Autónoma de Madrid, Madrid, Spain
- <sup>6</sup> Escuela Internacional de Doctorado, Department of Physical Therapy, Occupational Therapy, Rehabilitation and Physical Medicine, Universidad Rey Juan Carlos, 28933 Alcorcón, Spain
- <sup>7</sup> Department of Physical Therapy, Occupational Therapy, Rehabilitation and Physical Medicine, Universidad Rey Juan Carlos, 28933 Alcorcón, Spain
- <sup>8</sup> Brain, Action and Skill Laboratory (BAS-Lab), Institute of Neuroscience (Cognition and Systems Division), UC Louvain, 1200 Woluwe-Saint-Laimbert, Belgium

\* **Corresponding author:** Yeray González-Zamorano, Department of Physical Therapy, Occupational Therapy, Rehabilitation and Physical Medicine, Universidad Rey Juan Carlos, Atenas Avenue s/n., 28933 Alcorcón, Spain. Tel: +34 689 10 53 57;  
E-mail: [yeray.gonzalez@urjc.es](mailto:yeray.gonzalez@urjc.es)

<https://dx.doi.org/10.17179/excli2024-7027>

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0/>).




**Supplementary Figure 1:** The weekly intervention protocol based on graded progression of mental representation techniques.


**a.** Representation of the Monday treatment protocol: Uniplanar and monoarticular movements (static sitting). ABD: abduction; ADD: Adduction; DF: Dorsal Flexion; FLEX: Flexion; ER: External Rotation; EXT: Extension; IR: Internal Rotation; PF: Plantar Flexion; PRONO: Pronation; SUPI: Supination




**b.** Representation of the Tuesday treatment protocol: Multiplanar and/or multiarticular movements (dynamic sitting). ABD: abduction; ADD: Adduction; DF: Dorsal Flexion; FLEX: Flexion; EXT: Extension; PF: Plantar Flexion



**c.** Representation of the Wednesday treatment protocol: Sitting to standing transition and standing to sitting transition



d. Representation of the Thursday treatment protocol: Upper limb reach in standing position (static standing)



e. Representation of the Friday treatment protocol: Anterior-posterior stepping and walking (dynamic standing and walking)